


professional
choice

owes its
strength to
its quality





ABOUT US

Uyar Hydraulic is one of the leading gear pump manufacturer in hydraulic sector, with 30 years of knowledge and experience. We specialize in the production of damper pumps, agricultural and construction machinery pumps, industrial and mobile pumps, power transmission units, hydraulic valves, and equipments.

Our modern facilities cover an area of 3600 square meters operated by specialized team. We continually strive to stay at the forefront of our industry by keeping up with the latest technologies and continuously improving our manufacturing processes.

At Uyar Hydraulic, we offer a wide range of products to meet our customer's various needs. Our hydraulic pumps, valves, and equipment are available in different specifications and capacities and undergo strict testing and quality control processes. We make efforts to understand our customers needs and provide customized solutions through active collaboration. Our expert team provides professional guidance and support throughout the process. We aim to exceed customer expectations through flexibility, fast delivery time, and personalized services.

Environmental consciousness is an integral part of our work principles. We are committed to designing ecological production processes and implementing responsible waste management practices. Our goal is to minimize our environmental footprint and contribute to a sustainable future.


Uyar Hydraulic is a reputable and reliable partner in hydraulic industry. With our commitment to quality, innovation, and customer satisfaction, we have achieved a respected position in the market. We are pleased to meet your hydraulic needs and establish a long-term collaboration.





Our Policy



- Superior quality production with reasonable price,
- To be a reliable and preferred company that ensures customer satisfaction,
- To achieve continuous improvement and development, it is crucial for all employees to comprehend, embrace, and implement the company's goals and policies,
- Our aim is to be among the leading companies in our country and worldwide.








Hydraulic Equipments

 	20 SERIES ISO - 4 BOLTS LEFT AND RIGHT GEAR PUMP						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm ³ /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inlet Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	2006ISO	6,10	28	220	G	G	6
	LR	10,2	0	0	1/2"	1/2"	6,5
	2010ISO	0	28	220	G	G	7
	LR	16,2	0	0	1/2"	1/2"	7,4
	2016ISO	0	28	220	G	G	7,6
	LR	20,2	0	0	1/2"	1/2"	8
	2020ISO	0 2	26	220	G	G	8,5
	LR	5,3	0	0	1/2"	1/2"	
 	20 SERIES UNI - 3 BOLTS LEFT AND RIGHT GEAR PUMP						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm ³ /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inlet Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	2006UNI	6,10	280	220	G 1/2"	G 1/2"	5
	LR	10,20	280	0	G 1/2"	G 1/2"	5,5
	2010UNI	16,20	280	220	G 1/2"	G 1/2"	5,8
	LR	20,20	260	0	G 1/2"	G 1/2"	6
	2016UNI	25,30	220	220	G 3/4"	G 3/4"	6,1
	LR	32,30	190	0	G 3/4"	G 3/4"	6,3
	2020UNI	40,10	180	220	G 3/4"	G 3/4"	6,5
	LR			0			
 	20 SERIES 1P1 - 4 BOLTS LEFT AND RIGHT GEAR PUMP						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm ³ /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inlet Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	20061P1L	6,10	280	2200	4020 M	3013M	5,5
	LR	10,20	280	2200	8 4020	6	5,8
	20101P1L	16,20	280	2200	M 8	3013M	6
	R	20,20	260	2200	4020 M	6	6,1
	20161P1L	25,30	220	2200	8 4020	3013M	6,3
	R	32,30	190	2000	M 8	6	6,5
	20201P1L	40,10	180	2000	4020 M	3013M	
	R				8 4020	6	
 	20 SERIES FORKLIFT - 2 BOLTS LEFT AND RIGHT GEAR PUMP						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm ³ /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inlet Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	2006FRKL	6,10	280	2200	4020 M	3013M	5
	R	10,20	280	2200	8 4020	6	5,5
	2010FRKL	16,20	280	2200	M 8	3013M	5,8
	R	20,20	260	2200	4020 M	6	6
	2016FRKL	25,30	220	2200	8 4020	3013M	6,1
	R	32,30	190	2000	M 8	6	6,3
	2020FRKL	40,10	180	2000	4020 M	3013M	6,5
	R				8 4020	6	
	2025FRKL				M 8	3013M	
	R				4020 M	6	
	2032FRKL				8	3013M	
	R					6	
	2040FRKL					3013M	
	R					6	



30 SERIES ISO LEFT AND RIGHT GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014ISOLR	14,10	300	2700	G	G	11
3017ISOLR	17,20	300	2700	1/2"	1/2"	11,5
3022ISOLR	22,10	300	2700	G	G	12
3027ISOLR	27,05	300	2700	1/2"	1/2"	12,5
3034ISOLR	34,30	285	2400	G	G	12,8
3038ISOLR	38,10	285	2200	3/4"	3/4"	13
3043ISOLR	43,20	270	2200	3/4"	3/4"	13,3
3051ISOLR	51,60	240	2200	3/4"	3/4"	13,5
3061ISOLR	61,80	220	1800	1"	1"	14
3067ISOLR	67,40	220	1800	3/4"	3/4"	14,2
3073ISOLR	73,10	210	1600	G 1 1/4"	G 1"	14,5
3082ISOLR	82,05	200	1500	G 1 1/4"	G 1"	14,7
3092ISOLR	92,10	200	1500	G 1 1/4"	G 1"	14,8
30100ISOLR	100,20	180	1500	G 1 1/4"	G 1"	15
30125ISOLR	125,60	160	1500	G 1 1/4"	G 1"	15,3




30 SERIES UNI LEFT AND RIGHT GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014UNILR	14	300	270	G 1/2"	G 1/2"	8,5
3017UNILR	17,20	300	0	G 1/2"	G 1/2"	9
3022UNILR	22,10	300	270	G 3/4"	G 1/2"	9,5
3027UNILR	27,05	300	0	G 3/4"	G 1/2"	10
3034UNILR	34,30	285	270	G 3/4"	G 3/4"	10,5
3038UNILR	38,10	285	0	G 3/4"	G 3/4"	10,8
3043UNILR	43,20	270	270	G 3/4"	G 3/4"	11
3051UNILR	51,60	240	0	G 1"	G 3/4"	11,5
3061UNILR	61,80	220	240	G 1"	G 1"	12
3067UNILR	67,40	220	0	G 1"	G 1"	12
3073UNILR	73,10	210	220	G 1 1/4"	G 1"	12,5
3082UNILR	82,05	200	0	G 1 1/4"	G 1"	13
3092UNILR	92,10	200	220	G 1 1/4"	G 1"	14,8
30100UNILR	100,20	180	0	G 1 1/4"	G 1"	15
30125UNILR	125,60	160	220	G 1 1/4"	G 1"	15,3


0
180
0
180
0
160
0
150
0
150
0
150
0
150



30 SERIES UNI 22K LEFT AND RIGHT GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014UNI22KLR	14	300	270	G 1/2"	G 1/2"	8,5
3017UNI22KLR	17,20	300	0	G 1/2"	G 1/2"	9
3022UNI22KLR	22,10	300	270	G 3/4"	G 1/2"	9,5
3027UNI22KLR	27,05	300	0	G 3/4"	G 1/2"	10
3034UNI22KLR	34,30	285	270	G 3/4"	G 3/4"	10,5
3038UNI22KLR	38,10	285	0	G 3/4"	G 3/4"	10,8
3043UNI22KLR	43,20	270	270	G 3/4"	G 3/4"	11
3051UNI22KLR	51,60	240	0	G 1"	G 3/4"	11,5
3061UNI22KLR	61,80	220	240	G 1"	G 1"	12
3067UNI22KLR	67,40	220	0	G 1"	G 1"	12
3073UNI22KLR	73,10	210	220	G 1 1/4"	G 1"	12,5
3082UNI22KLR	82,05	200	0	G 1 1/4"	G 1"	13
3092UNI22KLR	92,10	200	220	G 1 1/4"	G 1"	14,8
30100UNI22KLR	100,20	180	0	G 1 1/4"	G 1"	15
30125UNI22KLR	125,60	160	220	G 1 1/4"	G 1"	15,3
			0			



30 SERIES SAEB13 LEFT AND RIGHT GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014SAEB13LR	14	300	270	G 1/2"	G 1/2"	9,5
3017SAEB13LR	17,20	300	0	G 1/2"	G 1/2"	10
3022SAEB13LR	22,10	300	270	G 3/4"	G 1/2"	10,5
3027SAEB13LR	27,05	300	0	G 3/4"	G 1/2"	11
3034SAEB13LR	34,30	285	270	G 3/4"	G 3/4"	11,5
3038SAEB13LR	38,10	285	0	G 3/4"	G 3/4"	11,8
3043SAEB13LR	43,20	270	270	G 3/4"	G 3/4"	12
3051SAEB13LR	51,60	240	0	G 1"	G 3/4"	12,5
3061SAEB13LR	61,80	220	240	G 1"	G 1"	13
3067SAEB13LR	67,40	220	0	G 1"	G 1"	13
3073SAEB13LR	73,10	210	1600	G 1 1/4"	G 1"	13,5
3082SAEB13LR	82,05	200	1500	G 1 1/4"	G 1"	14,7
3092SAEB13LR	92,10	200	1500	G 1 1/4"	G 1"	14,8
30100SAEB13LR	100,20	180	1500	G 1 1/4"	G 1"	15
30125SAEB13LR	125,60	160	1500	G 1 1/4"	G 1"	15,3



30 SERIES T2 UNI LEFT AND RIGHT GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inlet Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3017UNIT2L	17,20	300	270	G 1/2"	G 1/2"	9,5
R	27,05	300	0	G 3/4"	G 1/2"	10
3027UNIT2L	34,30	285	270	G 3/4"	G 3/4"	10,5
R	43,20	270	0	G 3/4"	G 3/4"	11
3034UNIT2L	51,60	240	240	G 1"	G 3/4"	11,5
R	61,80	220	0	G 1"	G 1"	11,8
3043UNIT2L	82,05	200	220	G 1 1/4"	G 1"	12

30 SERIES SAEB15 LEFT AND RIGHT GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014SAEB15LR	14	300	270	G	G	9,5
3017SAEB15LR	17,20	300	0	1/2"	1/2"	10
3022SAEB15LR	22,10	300	270	G	G	10,5
3027SAEB15LR	27,05	300	0	1/2"	1/2"	11
3034SAEB15LR	34,30	285	270	G	G	11,5
3038SAEB15LR	38,10	285	0	3/4"	1/2"	11,8
3043SAEB15LR	43,20	270	270	3/4"	3/4"	12
3051SAEB15LR	51,60	240	0	3/4"	3/4"	12,5
3061SAEB15LR	61,80	220	240	1"	1"	13
3067SAEB15LR	67,40	220	0	3/4"	3/4"	13
3073SAEB15LR	73,10	210	220	1 1/4"	1"	13,5
3082SAEB15LR	82,05	200	0	1 1/4"	3/4"	14,7
3092SAEB15LR	92,10	200	220	1 1/4"	1"	14,8
30100SAEB15LR	100,20	180	0	1 1/4"	1"	15
30125SAEB15LR	125,60	160	220	1 1/4"	1"	15,3

30 SERIES SAEB22K LEFT AND RIGHT GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014SAEB22KLR	14	300	270	G 1/2"	G 1/2"	9,5
3017SAEB22KLR	17,20	300	270	G 1/2"	G 1/2"	10
3022SAEB22KLR	22,10	300	270	G 3/4"	G 1/2"	10,5
3027SAEB22KLR	27,05	300	270	G 3/4"	G 1/2"	11
3034SAEB22KLR	34,30	285	270	G 3/4"	G 3/4"	11,5
3038SAEB22KLR	38,10	285	200	G 3/4"	G 3/4"	11,8
3043SAEB22KLR	43,20	270	270	G 3/4"	G 3/4"	12
3051SAEB22KLR	51,60	240	200	G 1"	G 3/4"	12,5
3061SAEB22KLR	61,80	220	180	G 1"	G 1"	13
3067SAEB22KLR	67,40	220	180	G 1"	G 1"	13
3073SAEB22KLR	73,10	210	1600	G 1 1/4"	G 1"	13,5
3082SAEB22KLR	82,05	200	1500	G 1 1/4"	G 1"	14,7
3092SAEB22KLR	92,10	200	1500	G 1 1/4"	G 1"	14,8
30100SAEB22KLR	100,20	180	1500	G 1 1/4"	G 1"	15
30125SAEB22KLR	125,60	160	1500	G 1 1/4"	G 1"	15,3

30 SERIES ISO 1 3/8 ASAE LEFT AND RIGHT GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inlet Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014ASAELR	14	300	2700	G 1/2"	G 1/2"	11
3017ASAELR	17,20	300	2700	G 1/2"	G 1/2"	11,5
3022ASAELR	22,10	300	2700	G 3/4"	G 1/2"	12
3027ASAELR	27,05	300	2700	G 3/4"	G 1/2"	12,5
3034ASAELR	34,30	285	2400	G 3/4"	G 3/4"	12,8
3038ASAELR	38,10	285	2200	G 3/4"	G 3/4"	13
3043ASAELR	43,20	270	2200	G 3/4"	G 3/4"	13,3
3051ASAELR	51,60	240	2200	G 1"	G 3/4"	13,5
3061ASAELR	61,80	220	1800	G 1"	G 1"	14
3067ASAELR	67,40	220	1800	G 1"	G 1"	14,2
3073ASAELR	73,10	210	1600	G 1 1/4"	G 1"	14,5
3082ASAELR	82,05	200	1500	G 1 1/4"	G 1"	14,7
3092ASAELR	92,10	200	1500	G 1 1/4"	G 1"	14,8
30100ASAELR	100,20	180	1500	G 1 1/4"	G 1"	15
30125ASAELR	125,60	160	1500	G 1 1/4"	G 1"	15,3

30 SERIES TPK LEFT AND RIGHT GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inlet Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3022TPKL	22,10	300	270	512 5	4019M	11
R	27,05	300	0	M10	8	11,5
3027TPKL	34,30	285	270	512 5	4019M	12
R	38,10	285	0	M10	8	12,5
3034TPKL	43,20	270	240	512 5	4019M	12,8
R	51,60	240	0	M10	8	13
3038TPKL	61,60	220	220	512 5	4019M	15,3
R			0	M10	8	

30 SERIES UNI MECHANIC VALVE LEFT AND RIGHT GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inlet Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3043UNIMV	43,20	270	0	M10	8	11
3061TPKL	61,80	220	220	G 3/4"	4019M	11,5
LR			0	G 1"	8	12
3061UNIMV	82,05	200	180	G 1 1/4"	G 1"	12,5
LR			0			12,8

30 SERIES MECHANIC VALVE BI-DIRECTIONAL GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inlet Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3061DPMBD	61,80	22	1800	G 1	G	17,5
3082DPMBD	82,05	0	1500	1/4" G	1"	17,8
30109DPMBD	109,40	20	1500	1 1/4"	G	18
40109DPMBD	109,40	0	1800	G 1	1"	23
		18		1/4" G	G	
		0		1 1/4"	1"	
		24			G	
		0			1"	

30 SERIES ISO BI-DIRECTIONAL GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014ISOBD	14	300	2700	G	G	11
3017ISOBD	17,20	300	2700	1/2"	1/2"	11,5
3022ISOBD	22,10	300	2700	G	G	12
3027ISOBD	27,05	300	2700	1/2"	1/2"	12,5
3034ISOBD	34,30	285	2400	G	G	12,8
3038ISOBD	38,10	285	2200	1/4"	1/4"	13
3043ISOBD	43,20	270	2200	3/4"	3/4"	13,3
3051ISOBD	51,60	240	2200	1/4"	1/4"	13,5
3061ISOBD	61,80	220	1800	1"	1"	14
3067ISOBD	67,40	220	1800	3/4"	3/4"	14,2
3073ISOBD	73,10	210	1600	1"	1"	14,5
3082ISOBD	82,05	200	1500	1"	1"	14,7
3092ISOBD	92,10	200	1500	1"	1"	14,8
30100ISOBD	100,20	180	1500	1 1/4"	1 1/4"	15
30125ISOBD	125,60	160	1500	1 1/4"	1 1/4"	15,3

30 SERIES UNI BI-DIRECTIONAL GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014UNIBD	14	300	270	1/2"	1/2"	8,5
3017UNIBD	17,20	300	0	1/2"	1/2"	9
3022UNIBD	22,10	300	270	1/2"	1/2"	9,5
3027UNIBD	27,05	300	0	1/2"	1/2"	10
3034UNIBD	34,30	285	270	3/4"	3/4"	10,5
3038UNIBD	38,10	285	0	3/4"	3/4"	10,8
3043UNIBD	43,20	270	270	3/4"	3/4"	11
3051UNIBD	51,60	240	0	3/4"	3/4"	11,5
3061UNIBD	61,80	220	240	1"	1"	12
3067UNIBD	67,40	220	0	1"	1"	12
3073UNIBD	73,10	210	220	1"	1"	12,5
3082UNIBD	82,05	200	0	1"	1"	13
3092UNIBD	92,10	200	220	1"	1"	14,8
30100UNIBD	100,20	180	0	1 1/4"	1 1/4"	15
30125UNIBD	125,60	160	220	1 1/4"	1 1/4"	15,3

30 SERIES UNI T2 PNEUMATIC VALVE BI-DIRECTIONAL GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3061DPVB	61,80	220	210	1"	G	16,7
D	82,05	200	0	1/4"	1"	16,9
3082DPVB	92,10	200	180	1 1/4"	G	17


D	0	1"	1"
3092DPVB	180	1/4"	G
D	0	1"	1"
	170		
	0		
	170		
	0		



30 SERIES UNI22K BI-DIRECTIONAL GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014UNIKBD	14	300	2700	G 1/2"	G 1/2"	8,5
3017UNIKBD	17,20	300	2700	G 1/2"	G 1/2"	9
3022UNIKBD	22,10	300	2700	G 1/2"	G 1/2"	9,5
3027UNIKBD	27,05	300	2700	G 1/2"	G 1/2"	10
3034UNIKBD	34,30	285	2400	G 3/4"	G 3/4"	10,5
3038UNIKBD	38,10	285	2200	G 3/4"	G 3/4"	10,8
3043UNIKBD	43,20	270	2200	G 3/4"	G 3/4"	11
3051UNIKBD	51,60	240	2200	G 3/4"	G 3/4"	11,5
3061UNIKBD	61,80	220	1800	G 1"	G 1"	12
3067UNIKBD	67,40	220	1800	G 1"	G 1"	12
3073UNIKBD	73,10	210	1600	G 1"	G 1"	12,5
3082UNIKBD	82,05	200	1500	G 1"	G 1"	13
3092UNIKBD	92,10	200	1500	G 1"	G 1"	13
30100UNIKBD	100,20	180	1500	G 1 1/4"	G 1 1/4"	14,8
30125UNIKBD	125,60	160	1500	G 1 1/4"	G 1 1/4"	15
						15,3



30 SERIES SAEB13 BI-DIRECTIONAL GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014SAEB13BD	14	300	270	G 1/2"	G 1/2"	9,5
3017SAEB13BD	17,20	300	0	G 1/2"	G 1/2"	10
3022SAEB13BD	22,10	300	270	G 1/2"	G 1/2"	10,5
3027SAEB13BD	27,05	300	0	G 1/2"	G 1/2"	11
3034SAEB13BD	34,30	285	270	G 3/4"	G 3/4"	11,5
3038SAEB13BD	38,10	285	0	G 3/4"	G 3/4"	11,8
3043SAEB13BD	43,20	270	270	G 3/4"	G 3/4"	12
3051SAEB13BD	51,60	240	0	G 3/4"	G 3/4"	12,5
3061SAEB13BD	61,80	220	240	G 1"	G 1"	13
3067SAEB13BD	67,40	220	0	G 1"	G 1"	13
3073SAEB13BD	73,10	210	220	G 1"	G 1"	13,5
3082SAEB13BD	82,05	200	0	G 1"	G 1"	14,7
3092SAEB13BD	92,10	200	220	G 1"	G 1"	14,8
30100SAEB13BD	100,20	180	0	G 1 1/4"	G 1 1/4"	15
30125SAEB13BD	125,60	160	220	G 1 1/4"	G 1 1/4"	15,3



30 SERIES SAEB15 BI-DIRECTIONAL GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014SAEB15BD	14	300	2700	G	G	9,5
3017SAEB15BD	17,20	300	2700	1/2"	1/2"	10
3022SAEB15BD	22,10	300	2700	G	G	10,5
3027SAEB15BD	27,05	300	2700	1/2"	1/2"	11
3034SAEB15BD	34,30	285	2400	G	G	11,5
3038SAEB15BD	38,10	285	2200	1/4"	1/4"	11,8
3043SAEB15BD	43,20	270	2200	3/4"	3/4"	12
3051SAEB15BD	51,60	240	2200	1/4"	1/4"	12,5
3061SAEB15BD	61,80	220	1800	1"	1"	13
3067SAEB15BD	67,40	220	1800	3/4"	3/4"	13
3073SAEB15BD	73,10	210	1600	1"	1"	13,5
3082SAEB15BD	82,05	200	1500	1"	1"	14,7
3092SAEB15BD	92,10	200	1500	1"	1"	14,8
30100SAEB15BD	100,20	180	1500	1 1/4"	1 1/4"	15
30125SAEB15BD	125,60	160	1500	1 1/4"	1 1/4"	15,3



30 SERIES SAEB22K BI-DIRECTIONAL GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014SAEB22KBD	14	300	270	G 1/2"	G 1/2"	9,5
3017SAEB22KBD	17,20	300	0	G 1/2"	G 1/2"	10
3022SAEB22KBD	22,10	300	270	G 1/2"	G 1/2"	10,5
3027SAEB22KBD	27,05	300	0	G 1/2"	G 1/2"	11
3034SAEB22KBD	34,30	285	270	G 3/4"	G 3/4"	11,5
3038SAEB22KBD	38,10	285	0	G 3/4"	G 3/4"	11,8
3043SAEB22KBD	43,20	270	270	G 3/4"	G 3/4"	12
3051SAEB22KBD	51,60	240	0	G 3/4"	G 3/4"	12,5
3061SAEB22KBD	61,80	220	240	1"	1"	13
3067SAEB22KBD	67,40	220	0	1"	1"	13
3073SAEB22KBD	73,10	210	220	1"	1"	13,5
3082SAEB22KBD	82,05	200	0	1"	1"	14,7
3092SAEB22KBD	92,10	200	220	1"	1"	14,8
30100SAEB22KBD	100,20	180	0	1 1/4"	1 1/4"	15
30125SAEB22KBD	125,60	160	220	1 1/4"	1 1/4"	15,3



30 SERIES ISO 1 3/8 ASAE BI-DIRECTIONAL GEAR PUMP

Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014ASAEBD	14	300	2700	G 1/2"	G 1/2"	11
3017ASAEBD	17,20	300	2700	G 1/2"	G 1/2"	11,5
3022ASAEBD	22,10	300	2700	G 1/2"	G 1/2"	12
3027ASAEBD	27,05	300	2700	G 1/2"	G 1/2"	12,5
3034ASAEBD	34,30	285	2400	G 3/4"	G 3/4"	12,8
3038ASAEBD	38,10	285	2200	G 3/4"	G 3/4"	13
3043ASAEBD	43,20	270	2200	G 3/4"	G 3/4"	13,3
3051ASAEBD	51,60	240	2200	G 3/4"	G 3/4"	13,5
3061ASAEBD	61,80	220	1800	G 1"	G 1"	14
3067ASAEBD	67,40	220	1800	G 1"	G 1"	14,2
3073ASAEBD	73,10	210	1600	G 1"	G 1"	14,5
3082ASAEBD	82,05	200	1500	G 1"	G 1"	14,7
3092ASAEBD	92,10	200	1500	G 1"	G 1"	14,8
30100ASAEBD	100,20	180	1500	G 1 1/4"	G 1 1/4"	15
30125ASAEBD	125,60	160	1500	G 1 1/4"	G 1 1/4"	15,3



30 SERIES ISO TANDEM LEFT AND RIGHT GEAR PUMP

Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3017ISOTANLR	17,20	300	270	G 1/2"	G 1/2"	11,5
3022ISOTANLR	22,10	290	0	G 3/4"	G 1/2"	12
3027ISOTANLR	27,05	290	270	G 3/4"	G 1/2"	12,5
3034ISOTANLR	34,30	285	0	G 3/4"	G 3/4"	12,8
3038ISOTANLR	38,10	285	270	G 3/4"	G 3/4"	13
3043ISOTANLR	43,20	280	0	G 3/4"	G 3/4"	13,3
3051ISOTANLR	51,60	240	240	G 1"	G 3/4"	13,5
3061ISOTANLR	61,80	230	0	G 1"	G 1"	14
3067ISOTANLR	67,40	230	220	G 1"	G 1"	14,2
3073ISOTANLR	73,10	210	0	G 1"	G 1"	14,5
3082ISOTANLR	82,05	210	220	G 1 1/4"	G 1"	14,7
3092ISOTANLR	92,10	205	0	G 1 1/4"	G 1"	15,5

220

0

180

0

180

0

160

0

150

0


150

0

30 SERIES UNI TANDEM LEFT AND RIGHT GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3017UNITANLR	17,20	300	270	G	G	11,5
3022UNITANLR	22,10	290	0	1/2"	1/2"	12
3027UNITANLR	27,05	290	270	G	G	12,5
3034UNITANLR	34,30	285	0	3/4"	1/2"	12,8
3038UNITANLR	38,10	285	270	G	G	13
3043UNITANLR	43,20	280	0	3/4"	3/4"	13,3
3051UNITANLR	51,60	240	240	G 1"	G 3/4"	13,5
3061UNITANLR	61,80	230	0	3/4"	3/4"	14
3067UNITANLR	67,40	230	220	G 1"	G 1"	14,2
3073UNITANLR	73,10	210	0	3/4"	3/4"	14,5
3082UNITANLR	82,05	210	220	G 1 1/4"	G 1"	14,7
3092UNITANLR	92,10	205	0	G 1 1/4"	G 1"	15,5
			220			


30 SERIES UNI TANDEM22K LEFT AND RIGHT GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	180 Max.Speed Maks. Hız 180	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3017UNITAN22KLR	17,20	300	Ø70	G 1/2"	G 1/2"	11,5
3022UNITAN22KLR	22,10	290	Ø60	G 3/4"	G 1/2"	12
3027UNITAN22KLR	27,05	290	Ø70	G 3/4"	G 1/2"	12,5
3034UNITAN22KLR	34,30	285	Ø50	G 3/4"	G 3/4"	12,8
3038UNITAN22KLR	38,10	285	Ø70	G 3/4"	G 3/4"	13
3043UNITAN22KLR	43,20	280	Ø50	G 3/4"	G 3/4"	13,3
3051UNITAN22KLR	51,60	240	Ø40	G 1"	G 3/4"	13,5
3061UNITAN22KLR	61,80	230	0	G 1"	G 1"	14
3067UNITAN22KLR	67,40	230	220	G 1"	G 1"	14,2
3073UNITAN22KLR	73,10	210	0	G 1 1/4"	G 1"	14,5
3082UNITAN22KLR	82,05	210	220	G 1 1/4"	G 1"	14,7
3092UNITAN22KLR	92,10	205	0	G 1 1/4"	G 1"	15,5
			220			

30 SERIES SAEB13 TEETH TANDEM LEFT AND RIGHT GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	180 Max.Speed Maks. Hız 180	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3017SAEB13TANLR	17,20	300	Ø70	G 1/2"	G 1/2"	11,5
3022SAEB13TANLR	22,10	290	Ø60	G 3/4"	G 1/2"	12
3027SAEB13TANLR	27,05	290	Ø70	G 3/4"	G 1/2"	12,5
3034SAEB13TANLR	34,30	285	Ø50	G 3/4"	G 3/4"	12,8
3038SAEB13TANLR	38,10	285	Ø70	G 3/4"	G 3/4"	13
3043SAEB13TANLR	43,20	280	Ø50	G 3/4"	G 3/4"	13,3
3051SAEB13TANLR	51,60	240	Ø40	G 1"	G 3/4"	13,5
3061SAEB13TANLR	61,80	230	0	G 1"	G 1"	14
3067SAEB13TANLR	67,40	230	220	G 1"	G 1"	14,2
3073SAEB13TANLR	73,10	210	0	G 1 1/4"	G 1"	14,5
3082SAEB13TANLR	82,05	210	220	G 1 1/4"	G 1"	14,7
3092SAEB13TANLR	92,10	200	0	G 1 1/4"	G 1"	15,5
			220			



30 SERIES SAEB15 TEETH TANDEM LEFT AND RIGHT GEAR PUMP

Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3017SAEB15TANLR	17,20	300	270	G 1/2"	G 1/2"	11,5
3022SAEB15TANLR	22,10	290	0	G 3/4"	G 1/2"	12
3027SAEB15TANLR	27,05	290	270	G 3/4"	G 1/2"	12,5
3034SAEB15TANLR	34,30	285	0	G 3/4"	G 3/4"	12,8
3038SAEB15TANLR	38,10	285	270	G 3/4"	G 3/4"	13
3043SAEB15TANLR	43,20	280	0	G 3/4"	G 3/4"	13,3
3051SAEB15TANLR	51,60	240	240	G 1"	G 3/4"	13,5
3061SAEB15TANLR	61,80	230	0	G 1"	G 1"	14
3067SAEB15TANLR	67,40	230	220	G 1"	G 1"	14,2
3073SAEB15TANLR	73,10	210	0	G 1 1/4"	G 1"	14,5
3082SAEB15TANLR	82,05	210	220	G 1 1/4"	G 1"	14,7
3092SAEB15TANLR	92,10	200	0	G 1 1/4"	G 1"	15,5



30 SERIES SAEB22 KEY TANDEM LEFT AND RIGHT GEAR PUMP

Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	180 Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3017SAEB22KTANLR	17,20	300	180 Ø70	G 1/2"	G 1/2"	11,5
3022SAEB22KTANLR	22,10	290	Ø60	G 3/4"	G 1/2"	12
3027SAEB22KTANLR	27,05	290	Ø70	G 3/4"	G 1/2"	12,5
3034SAEB22KTANLR	34,30	285	Ø50	G 3/4"	G 3/4"	12,8
3038SAEB22KTANLR	38,10	285	Ø70	G 3/4"	G 3/4"	13
3043SAEB22KTANLR	43,20	280	Ø50	G 3/4"	G 3/4"	13,3
3051SAEB22KTANLR	51,60	240	Ø40	G 1"	G 3/4"	13,5
3061SAEB22KTANLR	61,80	230	0	G 1"	G 1"	14
3067SAEB22KTANLR	67,40	230	220	G 1"	G 1"	14,2
3073SAEB22KTANLR	73,10	210	0	G 1 1/4"	G 1"	14,5
3082SAEB22KTANLR	82,05	210	220	G 1 1/4"	G 1"	14,7
3092SAEB22KTANLR	92,10	205	0	G 1 1/4"	G 1"	15,5




30 SERIES ISO 1 3/8 ASAE TANDEM LEFT AND RIGHT GEAR PUMP

Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	180 Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3017ASAETANLR	17,20	300	Ø70	G 1/2"	G 1/2"	11,5
3022ASAETANLR	22,10	290	Ø60	G 3/4"	G 1/2"	12
3027ASAETANLR	27,05	290	Ø70	G 3/4"	G 1/2"	12,5
3034ASAETANLR	34,30	285	Ø50	G 3/4"	G 3/4"	12,8
3038ASAETANLR	38,10	285	Ø70	G 3/4"	G 3/4"	13
3043ASAETANLR	43,20	280	Ø50	G 3/4"	G 3/4"	13,3
3051ASAETANLR	51,60	240	Ø40	G 1"	G 3/4"	13,5
3061ASAETANLR	61,80	230	0	G 1"	G 1"	14
3067ASAETANLR	67,40	230	220	G 1"	G 1"	14,2
3073ASAETANLR	73,10	210	0	G 1 1/4"	G 1"	14,5
3082ASAETANLR	82,05	210	220	G 1 1/4"	G 1"	14,7
3092ASAETANLR	92,10	200	0	G 1 1/4"	G 1"	15,5

 	30 SERIES TPK TANDEM LEFT AND RIGHT GEAR PUMP							
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)	
	3022TPK2P1L	22,10	290	2700	5125M1	4019M	12	
	R	27,05	290	2700	0	8	12,5	
	3027TPK2P1L	34,30	285	2400	5125M1	4019M	12,8	
	R	38,10	285	2200	0	8	13	
	3034TPK2P1L	43,20	280	2200	5125M1	4019M	13,3	
	R	51, 6 0	240	2200	5125M10	4019M8	13,5	
	3038TPK2P1L	61,80	230	2100	5125M10	4019M8	14	
	R				0	8		
 	30 SERIES UNI22K TANDEM ADAPTER LEFT AND RIGHT GEAR PUMP							
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)	
	3022UNI22KTANADA	22,10	290	2700	5125M1	4019M8	12	
	3061TPK2P1L	27,05	290	2700	0	4019M8	12,5	
	PLR							
	R	3027UNI22KTANADA	34,30	285	2400	5125M1	4019M8	12,8
	PLR	38,10	285	2200	0	4019M8	13	
	3034UNI22KTANADA	43,20	280	2200	5125M1	4019M8	13,3	
	PLR	51, 6 0	240	2200	0	4019M8	13,5	
	3038UNI22KTANADA	61,80	230	2100	5125M1	4019M8	14	
PLR				0				
 	30 SERIES SAEB13 TEETH TANDEM ADAPTER LEFT AND RIGHT							
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)	
	3022SAEB13TANADA	22,10	290	2700	5125M1	4019M	12	
	3061UNI22KTANADA	27,05	290	2700	5125M1	8	12,5	
	PLR				0			
	PLR	3027SAEB13TANADA	34,30	285	2400	5125M1	4019M	12,8
	PLR	38,10	285	2200	0	8	13	
	3034SAEB13TANADA	43,20	280	2200	5125M1	4019M	13,3	
	PLR	51, 6 0	240	2200	0	8	13,5	
	3038SAEB13TANADA				5125M1	4019M		
PLR				0	8			
 	30 SERIES SAEB15 TEETH TANDEM ADAPTER LEFT AND RIGHT							
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)	
	3022SAEB15TANADA	22,10	290	2700	5125M1	4019M8	12	
	PLR	27,05	290	2700	0	4019M8	12,5	
	3027SAEB15TANADA	34,30	285	2400	5125M1	4019M8	12,8	
	PLR	38,10	285	2200	0	4019M8	13	
	3034SAEB15TANADA	43,20	280	2200	5125M1	4019M8	13,3	
	PLR	51, 6 0	240	2200	0	4019M8	13,5	
	3038SAEB15TANADA	61,80	230	2100	5125M1	4019M8	14	
	PLR				0			
	3043SAEB15TANADA				5125M1			
	PLR				0			
	3051SAEB15TANADA				5125M1			
	PLR				0			
	3061SAEB15TANADA				5125M1			
	PLR				0			

17



30 SERIES SAE22 KEY TANDEM ADAPTER LEFT AND RIGHT

Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3022SAEB22KTANADA	22,10	290	2700	5125M1	4019M8	12
PLR	27,05	290	2700	0	4019M8	12,5
3027SAEB22KTANADA	34,30	285	2400	5125M1	4019M8	12,8
PLR	38,10	285	2200	0	4019M8	13
3034SAEB22KTANADA	43,20	280	2200	5125M1	4019M8	13,3
PLR	51,60	240	2200	0	4019M8	13,5
3038SAEB22KTANADA	61,80	230	2100	5125M1	4019M8	14




30 SERIES UNI HIDROMOTOR BI-DIRECTIONAL GEAR PUMP

Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014UNIHMBD	14	300	2700	G 1/2"	G 1/2"	8,5
3061SAEB22KTANADA	17,20	300	2700	5125M1	G 1/2"	9
3017UNIHMBD	17,20	300	2700	G 1/2"	G 1/2"	9,5
3022UNIHMBD	22,10	300	2700	G 1/2"	G 1/2"	10
3027UNIHMBD	27,05	300	2700	G 1/2"	G 1/2"	10,5
3034UNIHMBD	34,30	285	2400	G 3/4"	G 3/4"	10,8
3038UNIHMBD	38,10	285	2200	G 3/4"	G 3/4"	11
3043UNIHMBD	43,20	270	2200	G 3/4"	G 3/4"	11,5
3051UNIHMBD	51,60	240	2200	G 3/4"	G 3/4"	12
3061UNIHMBD	61,80	220	1800	G 1"	G 1"	12
3067UNIHMBD	67,40	220	1800	G 1"	G 1"	12,5
3073UNIHMBD	73,10	210	1600	G 1"	G 1"	13
3082UNIHMBD	82,05	200	1500	G 1"	G 1"	14,8
3092UNIHMBD	92,10	200	1500	G 1"	G 1"	15
30100UNIHMBD	100,20	180	1500	G 1 1/4"	G 1 1/4"	15,3
30125UNIHMBD	125,60	160	1500	G 1 1/4"	G 1 1/4"	




30 SERIES SAE B BI-DIRECTIONAL GEAR PUMP

Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014SAEBBD	14	300	270	G 1/2"	G 1/2"	9,5
3017SAEBBD	17,20	300	0	G 1/2"	G 1/2"	10
3022SAEBBD	22,10	300	270	G 1/2"	G 1/2"	10,5
3027SAEBBD	27,05	300	0	G 1/2"	G 1/2"	11
3034SAEBBD	34,30	285	270	G 3/4"	G 3/4"	11,5
3038SAEBBD	38,10	285	0	G 3/4"	G 3/4"	11,8
3043SAEBBD	43,20	270	270	G 3/4"	G 3/4"	12
3051SAEBBD	51,60	240	0	G 3/4"	G 3/4"	12,5
3061SAEBBD	61,80	220	240	G 1"	G 1"	13
3067SAEBBD	67,40	220	0	G 1"	G 1"	13,5
3073SAEBBD	73,10	210	220	G 1"	G 1"	14,7
3082SAEBBD	82,05	200	0	G 1"	G 1"	14,8
3092SAEBBD	92,10	200	220	G 1"	G 1"	15
30100SAEBBD	100,20	180	0	G 1 1/4"	G 1 1/4"	15,3
30125SAEBBD	125,60	160	220	G 1 1/4"	G 1 1/4"	







30 SERIES ISO TRC LEFT AND RIGHT GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014ISOTRCLR	14	300	2700	G	G	11
3017ISOTRCLR	17,20	300	2700	1/2"	1/2"	11,5
3022ISOTRCLR	22,10	300	2700	G	G	12
3027ISOTRCLR	27,05	300	2700	1/2"	1/2"	12,5
3034ISOTRCLR	34,30	285	2400	G	G	12,8
3038ISOTRCLR	38,10	285	2200	G 3/4"	G 3/4"	13
3043ISOTRCLR	43,20	270	2200	G 3/4"	G 3/4"	13,3
3051ISOTRCLR	51,60	240	2200	G 3/4"	G 3/4"	13,5
3061ISOTRCLR	61,80	220	1800	G 1"	G 1"	14
3067ISOTRCLR	67,40	220	1800	G 1"	G 1"	14,2
3073ISOTRCLR	73,10	210	1600	G 1"	G 1"	14,5
3082ISOTRCLR	82,05	200	1500	G 1"	G 1"	14,7
3092ISOTRCLR	92,10	200	1500	G 1"	G 1"	14,8
30100ISOTRCLR	100,20	180	1500	G 1 1/4"	G 1 1/4"	15
30125ISOTRCLR	125,60	160	1500	G 1 1/4"	G 1 1/4"	15,3




30 SERIES ISO TRC BI-DIRECTIONAL GEAR PUMP						
Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
3014ISOTRCBD	14	300	270	G 1/2"	G 1/2"	11
3017ISOTRCBD	17,20	300	0	G 1/2"	G 1/2"	11,5
3022ISOTRCBD	22,10	300	270	G 1/2"	G 1/2"	12
3027ISOTRCBD	27,05	300	0	G 1/2"	G 1/2"	12,5
3034ISOTRCBD	34,30	285	270	G 3/4"	G 3/4"	12,8
3038ISOTRCBD	38,10	285	0	G 3/4"	G 3/4"	13
3043ISOTRCBD	43,20	270	270	G 3/4"	G 3/4"	13,3
3051ISOTRCBD	51,60	240	0	G 3/4"	G 3/4"	13,5
3061ISOTRCBD	61,80	220	240	G 1"	G 1"	14
3067ISOTRCBD	67,40	220	0	G 1"	G 1"	14,2
3073ISOTRCBD	73,10	210	220	G 1"	G 1"	14,5
3082ISOTRCBD	82,05	200	0	G 1"	G 1"	14,7
3092ISOTRCBD	92,10	200	220	G 1"	G 1"	14,8
30100ISOTRCBD	100,20	180	0	G 1 1/4"	G 1 1/4"	15
30125ISOTRCBD	125,60	160	220	G 1 1/4"	G 1 1/4"	15,3

 	35 SERIES ISO LEFT AND RIGH GEAR PUMP						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	3560ISOLR	60,10	260	180	G1"	G1	17,1
	3573ISOLR	73,10	255	0	G1 1/4"	"	17,5
	3590ISOLR	90,05	250	180	G1 1/4"	G1	18,1
	35100ISOLR	100,30	240	0	G1 1/4"	"	18,4
	35110ISOLR	110,10	230	180	G1 1/4"	G1	18,7
	35125ISOLR	125,20	220	0	G1 1/4"	"	19,1
 	35 SERIES UNI LEFT AND RIGH GEAR PUMP						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	3560UNILR	60,10	260	180	G1"	G1	16,1
	3573UNILR	73,10	255	0	G1 1/4"	"	16,5
	3590UNILR	90,05	250	180	G1 1/4"	G1	17,1
	35100UNILR	100,30	240	0	G1 1/4"	"	17,4
	35110UNILR	110,10	230	180	G1 1/4"	G1	17,7
	35125UNILR	125,20	220	0	G1 1/4"	"	18,1
 	35 SERIES ISO BI-DIRECTIONAL GEAR PUMP						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	3560ISOBD	60,10	260	180	G1"	G1	17,1
	3573ISOBD	73,10	255	0	G1 1/4"	G1 1/4"	17,5
	3590ISOBD	90,05	250	180	G1 1/4"	G1 1/4"	18,1
	35100ISOBD	100,30	240	0	G1 1/4"	G1 1/4"	18,4
	35110ISOBD	110,10	230	180	G1 1/4"	G1 1/4"	18,7
	35125ISOBD	125,20	220	0	G1 1/4"	G1 1/4"	19,1
 	35 SERIES UNI BI-DIRECTIONAL GEAR PUMP						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	3560UNIBD	60,10	260	180	G1"	G1"	16,1
	3573UNIBD	73,10	255	0	G1 1/4"	G1 1/4"	16,5
	3590UNIBD	90,05	250	180	G1 1/4"	G1 1/4"	17,1
	35100UNIBD	100,30	240	0	G1 1/4"	G1 1/4"	17,4
	35110UNIBD	110,10	230	180	G1 1/4"	G1 1/4"	17,7
	35125UNIBD	125,20	220	0	G1 1/4"	G1 1/4"	18,1

 	40 SERIES ISO LEFT AND RIGHT GEAR PUMP						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	4063ISOLR	63,10	285	180	G1"	G 3/4"	19,2
	4073ISOLR	73,05	280	0	G1 1/4"	G1"	19,5
	4087ISOLR	87,30	270	180	G1 1/4"	G1"	20,2
	40100ISOLR	100,10	265	0	G1 1/4"	G1"	21,1
	40109ISOLR	109,20	260	180	G1 1/4"	G1"	22,3
	40133ISOLR	133,60	240	0	G1 1/2"	G1"	23,2
	40151ISOLR	151,80	210	180	G1 1/2"	G1"	24,1
				0			
 	40 SERIES UNI LEFT AND RIGHT GEAR PUMP						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	4063UNILR	63,10	285	180	G1"	G 3/4"	18,2
	4073UNILR	73,05	280	0	G1 1/4"	G1"	18,5
	4087UNILR	87,30	270	180	G1 1/4"	G1"	19,2
	40100UNILR	100,10	265	0	G1 1/4"	G1"	20,1
	40109UNILR	109,20	260	180	G1 1/4"	G1"	21,3
	40133UNILR	133,60	240	0	G1 1/2"	G1"	22,2
	40151UNILR	151,80	210	180	G1 1/2"	G1"	23,1
				0			
 	40 SERIES ISO ASAE LEFT AND RIGHT GEAR PUMP						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	4063ISOASAELR	63,10	285	180	G1"	G 3/4"	19,2
	4073ISOASAELR	73,05	280	0	G1 1/4"	G1"	19,5
	4087ISOASAELR	87,30	270	180	G1 1/4"	G1"	20,2
	40100ISOASAELR	100,10	265	0	G1 1/4"	G1"	21,1
	40109ISOASAELR	109,20	260	180	G1 1/4"	G1"	22,3
	40133ISOASAELR	133,60	240	0	G1 1/2"	G1"	23,2
	40151ISOASAELR	151,80	210	180	G1 1/2"	G1"	24,1
				0			
 	40 SERIES ISO TANDEM LEFT AND RIGHT GEAR PUMP						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inle t Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	4063ISOTANLR	63,10	285	180	G1"	G 3/4"	20,2
	4073ISOTANLR	73,05	280	0	G1 1/4"	G1"	20,5
	4087ISOTANLR	87,30	270	180	G1 1/4"	G1"	21,2
	40100ISOTANLR	100,10	265	0	G1 1/4"	G1"	22,1
	40109ISOTANLR	109,20	260	180	G1 1/4"	G1"	22,1
	40133ISOTANLR	133,60	240	0	G1 1/2"	G1"	23,3
	40151ISOTANLR	151,80	210	180	G1 1/2"	G1"	24,2
				0			25,1

 	40 SERIES UNI TANDEM LEFT AND RIGHT GEAR PUMP						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inlet Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	4063UNITANLR	63,10	285	180	G1"	G 3/4"	19,2
	4073UNITANLR	73,05	280	0	G1 1/4"	G1"	19,5
	4087UNITANLR	87,30	270	180	G1 1/4"	G1"	20,2
	40100UNITANLR	100,10	265	0	G1 1/4"	G1"	21,1
	40109UNITANLR	109,20	260	180	G1 1/4"	G1"	22,3
	40133UNITANLR	133,60	240	0	G1 1/2"	G1"	23,2
	40151UNITANLR	151,80	210	180	G1 1/2"	G1"	24,1
				0			
 	40 SERIES ISO ASAE TANDEM LEFT AND RIGHT GEAR PUMP						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inlet Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	4063ISOASAETANLR	63,10	285	0	G1"	G 3/4"	20,2
	4073ISOASAETANLR	73,05	280	180	G1 1/4"	G1"	20,5
	4087ISOASAETANLR	87,30	270	150	G1 1/4"	G1"	21,2
	40100ISOASAETANLR	100,10	265	0	G1 1/4"	G1"	21,2
	40109ISOASAETANLR	109,20	260	180	G1 1/4"	G1"	22,1
	40133ISOASAETANLR	133,60	240	0	G1 1/4"	G1"	22,1
	40151ISOASAETANLR	151,80	210	180	G1 1/2"	G1"	23,3
				0			24,2
 	PISTON PUMP ISOTWIN BI-DIRECTIONAL						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inlet Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	PP20ISOTW	20,10	350	0	G1	G1	14,1
	BD	26,05	350	180	1/4"	"	14,1
	PP26ISOTW	34,30	350	0	G1	G1	14,1
	BD	42,10	350	180	1/4"	"	14,1
	PP34ISOTW	46,20	350	0	G1	G1	14,1
	BD	52,60	350	180	1/4"	"	14,1
	PP42ISOTW	55,80	300	0	G1	G1	14,1
	BD	60,80	300	180	1/4"	"	14,1
 	9 PISTON PUMP ISO BI-DIRECTIONAL						
	Product Number Ürün Numarası	Displacement İletim Hacmi (cm /rev at 1000 rpm)	Max. Pressure Maks.Basınç (bar)	Max.Speed Maks. Hız	Inlet Giriş	Outlet Çıkış	Weight Ağırlık (Kg.)
	PP52ISOTW			180	G1	G1	
	BD			150	1/4"	"	
	PP55ISOTW			150	G1	G1	
	BDP60ISO	60,10	270	0	G1 1/4"	G1	20,4
	PP60ISOTW	80,20	270	0	G1 1/4"	G1	20,5
	BDP82ISO			0	1/4"	G1	
	BD			0		"	